


PRODUCT: NATURE TRAIL PATHWAY MIX
PLANT(S): LINCOLN

DESCRIPTION

The mix shall consist of crushed limestone blended at a ratio of 85% unwashed limestone to 15% high-plasticity natural clay binder, with a permeability of 10-6 cm/sec. The materials shall be evenly mixed and exhibit a finished gray to tan earthtone color.

PARTICLE SIZE DISTRIBUTION

<u>Sieve Size</u>	<u>Avg. % Passing</u>	<u>PA Spec</u>
#200	14.3	9-17
#100	21	15-30
#50	38	25-50
#30	43	30-55
#16	69	60-85
#8	99	87-100
#4	100	100



We herewith certify that our material is crushed limestone, and is produced at our plant(s) specified above. The results reported above are from "typical sieve analysis reports". Please be aware that results may vary, as they are dependent upon mineral deposit variations. Please call for updated test analysis.